

ILE CLUB

design Piero Lissoni

Elements with different dimensions with armrest and backrest structure in double-paneled poplar and pine. Seat chassis in lacquered steel with coated rubber elastic straps. Frame padding in Visco-Soft and differentiated density polyurethane foam, covered with a mat in prewashed and sterilized goose down, stitched into separate compartments, or covered with acrylic fibre layers.

Seat cushions padding in differentiated density polyurethane foam and Visco-Soft, covered with a mat in prewashed and sterilized goose down, stitched into separate compartments, or covered with acrylic fibre layers. Under seat panel in thermobounded rigid wadding, 100% polyester. AISI 304 Stainless Steel base with matt satin-finish or in steel lacquered in gunmetal grey colour or burnished colour. Fabric or leather upholstery, both fully removable by zippers and Velcro fastenings. On request quilted seat cushions available, non-removable leather upholstery.

Seat depth 66 cm.

Base



Burnished Painting




Stainless Steel with Matt Satin Finish



Gunmetal Grey Lacquering

Notes

On request version in fabric with profile in "gros grain" standard to match; version in leather with profile in the same leather. For sofa with leather upholstery, the profile is always in the same finishing.




For composition with different elements, please attach a general sketch to the order.

On request, quilted seat cushion available: removable only with fabric upholstery; with central stitching in the leather version.

According to the product shape, some coverings cannot be used: please refer to the adaptability sheet in the "Materials" section of the website.

For leather coverings the "Leather A" or "Leather B" Maintenance Kit is included with the product.






Loose Cushion

Examples of Composition Composition 01




2ILT188 SX 2ILT188 DX



Composition 02

Composition 03



Composition 04



2ILT188 SX 2ILE18894 SX

The commercial codes refer to the elements chosen in the above-proposed compositions.



